

## ***Gastrotheca albolineata* (Lutz and Lutz, 1939) (Amphibia: Anura: Hemiphractidae): Defensive behaviors in a Protect Area of Atlantic Forest, southeastern Brazil**

Edelcio Muscat<sup>1\*</sup> and Elsie Rotenberg<sup>1</sup>

<sup>1</sup> Projeto Dacnis. Estrada do Rio Escuro 4754, CEP 11680-000, Ubatuba, São Paulo, Brazil  
\* Corresponding author: [edelciomuscat@terra.com.br](mailto:edelciomuscat@terra.com.br)

The relations between predators and prey may influence the distribution and abundance of species (Begon *et al.*, 1996) and can lead to morphological and physiological adaptation (Gans 1986). In some cases, individuals may show behavioral adaptations (Toledo *et al.*, 2011). Although species commonly present defensive behaviours, records and descriptions of these strategies are, with few exceptions, limited and dispersed in the literature (Toledo *et al.*, 2011). In a review on defensive behaviors Toledo *et al.* (2010) reported only the mouth-gaping behaviour for *Gastrotheca helenae* (Duellmann and Trueb 1994). In this paper we present two new records of defensive behaviors for species of the genus *Gastrotheca* and the first defensive behavior records for *Gastrotheca albolineata* (Lutz and Lutz, 1939).

The genus *Gastrotheca* Fitzinger, 1843 occurs in Costa Rica and Panama, northern and western South America southward to northern Argentina and in the east and southeast of the Brazilian Atlantic Forest (Duellman, 1984; Caramaschi and Rodrigues, 2007; Frost, 2015). The type specimen of *G. albolineata* comes from Serra dos Órgãos, a mountain chain in the state of Rio de Janeiro and in subsequent years the species was found in new localities in the same state (Carvalho-e-Silva *et al.*, 2008; Siqueira *et al.*, 2011; Pontes *et al.*, 2012), in the state of Espírito Santo (Almeida *et al.*, 2011), and in the municipality

of Ubatuba, on the northeastern coast of the state of São Paulo (Gressler *et al.*, 2008).

On 30 September 2015, around 19h00, we recorded a specimen of *G. albolineata* (23°27.543' S; 45°08.574' W, Datum WGS84, 16 m elevation). An adult male (56 mm snout vent length) was found calling on a bush 160 cm from the ground. When it was captured, the specimen displayed two defensive behaviors unknown for *Gastrotheca*: puffing up the body and thanatosis.

As soon as the researcher captured the specimen, it began puffing up the body (behavior 7 in Toledo *et al.*, 2010), considerably increasing its size, and remained in that posture for around 15 seconds, providing the opportunity for photographic documentation (Fig. 1). Following that, the specimen deflated and relaxed its body completely, including the legs, and remained inert and unresponsive (Fig. 2). In the first behavior, according to Stebbins and Cohen (1995) and Williams *et al.* (2000), the frog fills its lungs with air to inflate its body and seem larger to its predator. In the second one, described as thanatosis, the animal adopts a posture that makes it seem to be dead (behavior 3 in Toledo *et al.*, 2010). The synergistic effect of association between inflating the body followed by thanatosis may amplify the effectiveness of inhibiting or averting a potential predator's attack (Honma *et al.*, 2006). After the observations, the specimen was released on the same branch it was found.



**Figure 1.** *Gastrotheca albolineata* inflating its body in defensive behaviour after capture. Photo Alex Mariano



**Figure 2.** *Gastrotheca albolineata* playing dead with all legs relaxed, in textbook thanatosis. Photo Edelcio Muscat

The observations presented here contribute in the understanding of defensive behaviors displayed by anurans as the poorly studied marsupial frog *Gastrotheca albolineata*.

#### ACKNOWLEDGMENTS

The authors would like to thank Alex Mariano for help during fieldwork and to Ibere Machado of the Instituto Boitatá for the early corrections and suggestions in text.

#### REFERENCES

- Almeida, A. P., Gasparini, J. L. and Peloso, P.L.V. 2011.** Frogs of the state of Espírito Santo, southeastern Brazil. The need for looking at the coldspots. Checklist, 7(4): 542-560.
- Begon, M., Townsend, C. R. and Harper, J. L. 1996.** Ecology: from individuals to ecosystems. 4th edition. Blackwell Publishing, Cambridge. 752pp.
- Caramaschi, U. and Rodrigues, M. T. 2007.** Taxonomic status of the species of *Gastrotheca* Fitzinger, 1843 (Amphibia: Anura: Amphignathodontidae) of the Atlantic Rain Forest of eastern Brazil, with description of a new species. Boletim do Museu Nacional, 525: 1-20.
- Carvalho-e-Silva, A. M. T., Silva, G. R. and Carvalho-e-Silva, S. P. 2008.** Anuros da Reserva Rio das Pedras, Mangaratiba, RJ, Brasil. Biota Neotropica, 8(1): 199-209.
- Duellman, W. E. 1984.** Taxonomy of Brazilian hydrid frogs of the genus *Gastrotheca*. Journal of Herpetology, 18(3): 302-312.
- Frost, D. R. 2015.** Amphibian Species of the World: an Online Reference. Version 6.0. Electronic Database accessible at American Museum of Natural History, New York, USA. 20/02/2016, <http://research.amnh.org/herpetology/amphibia/index.html>.
- Gans C. 1986.** Functional morphology of predator-prey relationships; pp.6-23. In: M. E. Feder, and G. V. Lauder (Eds.), Predator-Prey Relationships. Perspectives and Approaches from the Study of Lower Vertebrates. University of Chicago Press, Chicago.
- Gressler, E., Aguirre, A. G. and Haddad, C. F. D. 2008.** Amphibia, Anura, Amphignathodontidae, *Gastrotheca albolineata*: distribution extension, new state, and new altitudinal records. Checklist, 4(1): 31-32.
- Honma, A., Oku, S. and Nishida, Y. 2006.** Adaptive significance of death feigning posture as a specialized inducible defence against gape-limited predators. Proceedings of the Royal Society of London, 273: 1631-1636.
- Pontes, R. C., Murta-Fonseca, R. A., Lourenço, A. C. C., Maciel, D. B., Martins, A. R. and Ramos, L. O. 2012.** New records and updated distribution map of *Gastrotheca albolineata* (Lutz and Lutz, 1939) (Amphibia: Anura: Hemiphraactidae). Checklist, 8(1): 158-160.
- Siqueira, C. C., Vrcibradic, D., Dorigo, T. A. and Rocha, C. F. D. 2011.** Anurans from two high-elevation areas of Atlantic Forest in the state of Rio de Janeiro, Brazil. Zoologia, 28(4): 457-464.
- Stebbins, R. C. and Cohen, N. W. 1995.** A natural history of amphibians. Princeton University Press, New Jersey, 336 pp.
- Toledo, L. F., Sazima, I. and Haddad, C. F. B. 2010.** Is it all death feigning? Case in anurans. Journal of Natural History, 44(31): 1979-1988.
- Toledo, L. F., Sazima, I. and Haddad, C. F. B. 2011.** Behavioral defenses of anurans: an overview. Ethology Ecology & Evolution, 23(1): 1-25.
- Williams, C. R., Brodie, E. D., Tyler Jr., M. J. and Walker, S. J. 2000.** Antipredator mechanisms of Australian frogs. Journal of Herpetology, 34(3): 431-443.



*Pseudoboa cf. nigra*, Canaã dos Carajás, PA. Foto: Rodrigo Tinoco.